

Pos. Tag - ID	Description	Quantity	Unit	Price (USD)	
					Total
10	<p>7ME6580-4PJ14-2KA2-Z N02</p> <p>SITRANS FM MAG 5100 W Full-bore electromagnetic flow sensor, flanged, diameter DN 25 to DN 2000 (1" to 78"). Suitable for volume flow measurement of liquids (conductive) , for applications in water abstraction, water & wastewater treatment, water distribution networks, custody transfer metering.</p> <p>0 .</p> <p>4P DN200, 8 Inch</p> <p>J ANSI B16.5, Class 150</p> <p>1 carbon steel flanges ASTM A105 (150micron painting)</p> <p>4 Ebonite</p> <p>2 Hastelloy C-276</p> <p>K MAG 5000, IP67 / NEMA 4X/6, Polyamid enclosure, With display, 11-30V DC/11-24V AC 50/60 Hz SYSTEM</p> <p>A No bus communication</p> <p>2 1/2 inch NPT Polyamid Terminal or 6000 I compact.</p> <p>N02 System for remote use</p> <p>Netweight: 40.100 KG</p> <p>Delivery time (working days): 5 plus transportation time</p> <p>Price group: 8F9</p> <p>LKZ: CA</p> <p>AL: N</p> <p>ECCN: 3A991X</p> <p>Commodity code: 9026100010</p>	1 PC	3,663.00	3,663.00	

Pos. Tag - ID	Description	Quantity	Unit	Price (USD)	
					Total
20	<p>7ME6580-5DJ14-2KA2-Z N02</p> <p>SITRANS FM MAG 5100 W Full-bore electromagnetic flow sensor, flanged, diameter DN 25 to DN 2000 (1" to 78"). Suitable for volume flow measurement of liquids (conductive) , for applications in water abstraction, water & wastewater treatment, water distribution networks, custody transfer metering.</p> <p>0 .</p> <p>5D DN300, 12 Inch</p> <p>J ANSI B16.5, Class 150</p> <p>1 carbon steel flanges ASTM A105 (150micron painting)</p> <p>4 Ebonite</p> <p>2 Hastelloy C-276</p> <p>K MAG 5000, IP67 / NEMA 4X/6, Polyamid enclosure, With display, 11-30V DC/11-24V AC 50/60 Hz SYSTEM</p> <p>A No bus communication</p> <p>2 1/2 inch NPT Polyamid Terminal or 6000 I compact.</p> <p>N02 System for remote use</p> <p>Netweight: 91.100 KG</p> <p>Delivery time (working days): 5 plus transportation time</p> <p>Price group: 8F9</p> <p>LKZ: CA</p> <p>AL: N</p> <p>ECCN: 3A991X</p> <p>Commodity code: 9026100010</p>	2 PC	5,533.00	11,066.00	
30	<p>FDK-085U1053</p> <p>Wall mounting unit, 4x 1/2 NPT cable glands</p> <p>Netweight: 1.158 KG</p> <p>Delivery time (working days): 5 plus transportation time</p> <p>Price group: 8F1</p> <p>LKZ: DK</p> <p>AL: N</p> <p>ECCN: N</p> <p>Commodity code: 8302490090</p>	3 PC	266.00	798.00	

Pos. Tag - ID	Description	Quantity	Unit	Price (USD)	
					Total
40	FDK-085U0220 USM Potting Kit Netweight: 1.525 KG Delivery time (working days): 5 plus transportation time Price group: 8F1 LKZ: US AL: N ECCN: EAR99 Commodity code: 3910000090	3 PC	161.00		483.00
50	A5E01181656 SITRANS F M Accessory MAG 5000/6000 2x 20 m (65.6 ft) Cable kit including standard coil cable, 3x 1.5 mm ² (3x 0.0024 inch ²), gage 18, single shielded with PVC jacket, and special electrode cable, 3x 0.25 mm ² (3x 0.0004 inch ²), double shielded with PVC jacket, temperature range: -30°C (-22°C + 158 °F) Netweight: 4.122 KG Delivery time (working days): 5 plus transportation time Price group: 8F1 AL: N ECCN: 9X9999 Commodity code: 8544490019	2 PC	343.00		686.00
Total Price					16696.00